



Obria™

Made for Every Day



قائمة الأسعار التجزئة المقترحة

RECOMMENDED PUBLIC PRICE LIST 2025



This Price List is valid until further notice
القيمة المضافة ١٥ ٪ ليست محسوبة بقائمة الأسعار
The VAT is not included in the price list 15%

#legrandImprovingLives

legrand®





Elegant profile
– slim and
clean lines



Curved Plate

The slightly curved plate goes hand in hand with the slim profile.





MEC21001BL



MEC21003RG



MEC22006CH



MEC22009SL



MEC22011WH

Price SR	Cat.Nos	Single pole switches 16 AX - 250 V~
7.25	MEC21001WH	1-gang 1-way switch ○ White ● Dark Silver ● Champagne ● Black ● Rose Gold
8.70	MEC21001SL	
8.70	MEC21001CH	
8.70	MEC21001BL	
8.70	MEC21001RG	
10.44	MEC22002WH	1-gang 2-way switch ○ White ● Dark Silver ● Champagne ● Black ● Rose Gold
12.52	MEC22002SL	
12.52	MEC22002CH	
12.52	MEC22002BL	
12.52	MEC22002RG	
45.60	MEC21003WH	1-gang - intermediate switch ○ White ● Dark Silver ● Champagne ● Black ● Rose Gold
54.72	MEC21003SL	
54.72	MEC21003CH	
54.72	MEC21003BL	
54.72	MEC21003RG	
11.94	MEC21005WH	2-gang 1-way switch ○ White ● Dark Silver ● Champagne ● Black ● Rose Gold
14.33	MEC21005SL	
14.33	MEC21005CH	
14.33	MEC21005BL	
14.33	MEC21005RG	
15.45	MEC22006WH	2-gang 2-way switch ○ White ● Dark Silver ● Champagne ● Black ● Rose Gold
18.54	MEC22006SL	
18.54	MEC22006CH	
18.54	MEC22006BL	
18.54	MEC22006RG	
17.23	MEC21008WH	3-gang 1-way switch ○ White ● Dark Silver ● Champagne ● Black ● Rose Gold
20.68	MEC21008SL	
20.68	MEC21008CH	
20.68	MEC21008BL	
20.68	MEC21008RG	

Price SR	Cat.Nos	Single pole switches 16 AX - 250 V~ (continued)
33.36	MEC22009WH	3-gang 2-way switch ○ White ● Dark Silver ● Champagne ● Black ● Rose Gold
40.03	MEC22009SL	
40.03	MEC22009CH	
40.03	MEC22009BL	
40.03	MEC22009RG	
24.50	MEC21010WH	4-gang 1-way switch ○ White ● Dark Silver ● Champagne ● Black ● Rose Gold
29.40	MEC21010SL	
29.40	MEC21010CH	
29.40	MEC21010BL	
29.40	MEC21010RG	
55.11	MEC22011WH	4-gang 2-way switch ○ White ● Dark Silver ● Champagne ● Black ● Rose Gold
66.13	MEC22011SL	
66.13	MEC22011CH	
66.13	MEC22011BL	
66.13	MEC22011RG	



MEC21024WH



MEC21025SL



MEC21029CH



MEC21030BL

Conform to BS EN 60669-1

Compact mechanism for greater wiring space

Dimensions: 86 x 86 mm (1-gang) / 86 x 146 mm (2-gang)

Supplied with 2 screws M 3.5 for BS boxes

Supplied as complete product with protective film

Price SR	Cat.Nos	Double pole switches 20 AX - 250 V~
		Equipped with earth link connector
		1-gang 1-way switch with RED LED power indicator and 2 earth terminals
34.71	MEC21041WH	○ White
41.66	MEC21041SL	● Dark Silver
41.66	MEC21041CH	● Champagne
41.66	MEC21041BL	● Black
41.66	MEC21041RG	● Rose Gold
		1-gang 1-way switch with LED indicator and earth connection
33.06	MEC21024WH	○ White
39.67	MEC21024SL	● Dark Silver
39.67	MEC21024CH	● Champagne
39.67	MEC21024BL	● Black
39.67	MEC21024RG	● Rose Gold
		1-gang 1-way switch with red LED power indicator and "WATER HEATER" marking
33.58	MEC21025WH	○ White
40.29	MEC21025SL	● Dark Silver
40.29	MEC21025CH	● Champagne
40.29	MEC21025BL	● Black
40.29	MEC21025RG	● Rose Gold

Pack	Cat.Nos	Double pole switches 45 A - 250 V~
		1-gang 1-way switch with red neon indicator
41.12	MEC21028WH	○ White
49.35	MEC21028SL	● Dark Silver
49.35	MEC21028CH	● Champagne
49.35	MEC21028BL	● Black
49.35	MEC21028RG	● Rose Gold
		1-gang 1-way switch with red LED indicator
47.04	MEC21029WH	○ White
56.45	MEC21029SL	● Dark Silver
56.45	MEC21029CH	● Champagne
56.45	MEC21029BL	● Black
56.45	MEC21029RG	● Rose Gold
		2-gang 1-way vertical switch with red LED indicator and red button
54.45	MEC21030WH	○ White
65.33	MEC21030SL	● Dark Silver
65.33	MEC21030CH	● Champagne
65.33	MEC21030BL	● Black
65.33	MEC21030RG	● Rose Gold

Obria™

push-buttons



Obria™

dimmers and bleeder



MEC23004SL



MEC23023WH

Dimensions: 86 x 86 mm
Compact mechanism for greater wiring space
Supplied with 2 screws M 3.5 for BS boxes
Supplied as complete product with protective film

Price SR	Cat.Nos	Push-buttons 10 A - 250 V~	
		Conform to BS EN 60669-1	
		1-gang	○ White ● Dark Silver ● Champagne ● Black ● Rose Gold
11.31	MEC23004WH		
13.58	MEC23004SL		
13.58	MEC23004CH		
13.58	MEC23004BL		
13.58	MEC23004RG		
		1-gang with bell symbol	○ White ● Dark Silver ● Champagne ● Black ● Rose Gold
15.51	MEC23023WH		
18.61	MEC23023SL		
18.61	MEC23023CH		
18.61	MEC23023BL		
18.61	MEC23023RG		



MEC24073CH



0 401 49

Dimensions: 86 x 86 mm
Supplied with 2 screws M 3.5 for BS boxes
Supplied as complete product with protective film

Price SR	Cat.Nos	Dimmers
		300 W rotary dimmer without neutral Conform to BS EN 60669-2-1 For all types of lamps : - Dimmable LEDs: 5 to 75 W (Leading); 5 to 200 W (Trailing) - Incandescent and halogen lamps: 5 to 300 W - Dimmable compact fluorescent lamps: 5 to 75 W - Halogen lamps with ferromagnetic or electronic transformer: 5 to 300 VA - Fluorescent tube with integrated electronic ballast: 5 to 300 VA Standby onsumption: 0.85 W
219.45	MEC24073WH	○ White ● Dark Silver ● Champagne ● Black ● Rose Gold
263.34	MEC24073SL	
263.34	MEC24073CH	
263.34	MEC24073BL	
263.34	MEC24073RG	
1	0 401 49	Active Power Bleeder Makes 2-wire electronic lighting control units without neutral compatible with all commercially-available loads (LED, compact fluorescent, ELV halogen with ferromagnetic or electronic ballast, 230 V halogen, fluorescent tube, incandescent) Consumption: 0.4 W

Obria™

fan controls, cooker control units and panic buttons



Obria™

telephone and data sockets



MEC66014CH



MEC73031SL

Dimensions: 86 x 86 mm (1-gang) / 146 x 86 mm (2-gang)
Supplied with 2 screws M 3.5 for BS boxes
Supplied as complete product with protective film

Price SR	Cat.Nos	Fan speed controls
		Conform to BS EN 60669-2-1
		5-speed fan controls
		100 W for fan with overall diameter 48"
		
		○ White ● Dark Silver ● Champagne ● Black ● Rose Gold
135.61	MEC66014WH	
162.73	MEC66014SL	
162.73	MEC66014CH	
162.73	MEC66014BL	
162.73	MEC66014RG	
		Cooker control units 45 A - 250 VA
		Conform to BS 4177
		45 A DP switch + 13 A switched socket outlet with red indicator
		
		○ White ● Dark Silver ● Champagne ● Black ● Rose Gold
99.85	MEC73031WH	
119.82	MEC73031SL	
119.82	MEC73031CH	
119.82	MEC73031BL	
119.82	MEC73031RG	



MEC42017CH



MEC43068BL

Dimensions: 86 x 86 mm
Compact mechanism for greater wiring space
Supplied with 2 screws M 3.5 for BS boxes
Supplied as complete product with protective film

Price SR	Cat.Nos	Telephone sockets
		RJ 11 sockets - 4 contacts
		1/4 turn, tool-less connector
		
		○ White ● Dark Silver ● Champagne ● Black ● Rose Gold
24.65	MEC42017WH	
29.58	MEC42017SL	
29.58	MEC42017CH	
29.58	MEC42017BL	
29.58	MEC42017RG	
		Data sockets
		Compliant with ISO/IEC 11-801, EN 50173 and ANSI/TIA 568 standards
		RJ 45 Cat. 6 UTP
		
		○ White ● Dark Silver ● Champagne ● Black ● Rose Gold
32.58	MEC43018WH	
39.10	MEC43018SL	
39.10	MEC43018CH	
39.10	MEC43018BL	
39.10	MEC43018RG	
		Double RJ 45 Cat. 6 UTP
		
		○ White ● Dark Silver ● Champagne ● Black ● Rose Gold
70.73	MEC43068WH	
84.87	MEC43068SL	
84.87	MEC43068CH	
84.87	MEC43068BL	
84.87	MEC43068RG	



MEC41067WH



MEC41021CH



MEC44015BL

Dimensions: 86 x 86 mm
Supplied with 2 screws M 3.5 for BS boxes
Supplied as complete product with protective film

Price SR	Cat.Nos	Multiple entries television sockets
		For DVBT, cable cast and satellite installation (with individual demodulator) DVBT HDTV compatible TV: male connector (Ø9.5 mm) R: female connector (Ø9.5 mm) SAT: "F" type connector Recommended coaxial cable 17 VATC
		TV-R-SAT sockets - star attenuation < 1.5 dB Conform to EN 50083-2 and European directive TV: 5-68/120-862 MHz R: 87.5-108 MHz FM / 174-223 MHz DAB+ SAT: 550-2400 MHz Installation recommended in flush-mounting box depth 40 mm
97.89 117.48 117.48 117.48 117.48	MEC41067WH MEC41067SL MEC41067CH MEC41067BL MEC41067RG	 ○ White ● Dark Silver ● Champagne ● Black ● Rose Gold

Price SR	Cat.Nos	Single television sockets
		For DVBT, cable cast and satellite installation (with individual demodulator) DVBT HDTV compatible TV: male connector (Ø9.5 mm) R: female connector (Ø9.5 mm) SAT: "F" type connector
		Female TV sockets - star attenuation < 1 dB TV: 0-2400 MHz Installation recommended in flush-mounting box depth 40 mm
14.01 16.82 16.82 16.82 16.82	MEC41021WH MEC41021SL MEC41021CH MEC41021BL MEC41021RG	 ○ White ● Dark Silver ● Champagne ● Black ● Rose Gold
		TV sockets "F" type with screws - star attenuation < 1 dB SAT: 0-2400 MHz
17.22 20.66 20.66 20.66 20.66	MEC41066WH MEC41066SL MEC41066CH MEC41066BL MEC41066RG	 ○ White ● Dark Silver ● Champagne ● Black ● Rose Gold

Price SR	Cat.Nos	Audio and video sockets
		HDMI Type-A sockets + USB Type-A data sockets Used to bring connections closer to the users and to transmit high-definition digital audio video streams between a source (Blu-Ray player, computer) and a compatible receiver (e.g. TV, videoprojector) and with connecting USB devices (interactive white board, scanner-printer, external hard disk)
47.87 57.44 57.44 57.44 57.44	MEC44015WH MEC44015SL MEC44015CH MEC44015BL MEC44015RG	 ○ White ● Dark Silver ● Champagne ● Black ● Rose Gold

Obria™

British standard socket outlets



MEC32034RG



MEC32035CH



MEC32036BL

Dimensions: 86 x 86 mm (1-gang) / 146 x 86 mm (2-gang)
 Supplied with 2 screws M 3.5 for BS boxes
 Supplied as complete product with protective film
 All sockets integrate child protection

Price SR	Cat.Nos	British standard double pole socket outlets 13 A - 250 V~
		Conform to BS 1363-2
		1-gang - switched
19.09	MEC32038WH	○ White
22.91	MEC32038SL	● Dark Silver
22.91	MEC32038CH	● Champagne
22.91	MEC32038BL	● Black
22.91	MEC32038RG	● Rose Gold
		
		1-gang - switched + 2 earth terminals
29.06	MEC32039WH	○ White
34.87	MEC32039SL	● Dark Silver
34.87	MEC32039CH	● Champagne
34.87	MEC32039BL	● Black
34.87	MEC32039RG	● Rose Gold
		
		2-gang - switched + 2 earth terminals
36.32	MEC32040WH	○ White
43.59	MEC32040SL	● Dark Silver
43.59	MEC32040CH	● Champagne
43.59	MEC32040BL	● Black
43.59	MEC32040RG	● Rose Gold
		

Price SR	Cat.Nos	British standard single pole socket outlets 13 A - 250 V~
		Conform to BS 1363-2
		1-gang - unswitched
15.08	MEC31032WH	○ White
18.10	MEC31032SL	● Dark Silver
18.10	MEC31032CH	● Champagne
18.10	MEC31032BL	● Black
18.10	MEC31032BL	● Rose Gold
		
		2-gang - unswitched
27.45	MEC31033WH	○ White
32.95	MEC31033SL	● Dark Silver
32.95	MEC31033CH	● Champagne
32.95	MEC31033BL	● Black
32.95	MEC31033RG	● Rose Gold
		

Obria™

British standard socket outlets with USB charger



MEC33090SL

Dimensions: 86 x 86 mm
 Supplied with 2 screws M 3.5 for BS boxes
 Supplied as complete product with protective film
 All sockets integrate child protection

Price SR	Cat.Nos	British standard socket outlets 13 A - 250 V~ with USB charger (continued)
		Conform to BS 1363-2 USB charger conform to BS EN 62368-1 Consumption in passive mode < 0.08 W
		2-gang double pole switched with USB Type-A + Type-C - 3 A - 5 V~ - 27 W Fast charge feature: Power Delivery
169.28	MEC33079WH	○ White
182.76	MEC33079SL	● Dark Silver
182.76	MEC33079CH	● Champagne
182.76	MEC33079BL	● Black
		



MEC35058BL



MEC35059WH



MEC62057CH



MEC27075WH



MEC27072SL



MEC27007SL

Dimensions: 86 x 86 mm (1-gang) / 146 x 86 mm (2-gang)
 Supplied with 2 screws M 3.5 for BS boxes
 Supplied as complete product with protective film


Dimensions: 86 x 86 mm (1-gang and 2-gang) / 86 x 150 (shaver sockets)
 Supplied with 2 screws M 3.5 for BS boxes
 Supplied as complete product with protective film

Price SR	Cat.Nos	Cable outlets
		All sockets integrate child protection
		20 A
24.04	MEC35058WH	○ White
28.84	MEC35058SL	● Dark Silver
28.84	MEC35058CH	● Champagne
28.84	MEC35058BL	● Black
28.84	MEC35058RG	● Rose Gold
		45 A
36.59	MEC35059WH	○ White
43.91	MEC35059SL	● Dark Silver
43.91	MEC35059CH	● Champagne
43.91	MEC35059BL	● Black
43.91	MEC35059RG	● Rose Gold
		13 A fused connection units
		Conform to BS 1363- 4
		Unswitched + Cord outlet
29.71	MEC62055WH	○ White
35.65	MEC62055SL	● Dark Silver
35.65	MEC62055CH	● Champagne
35.65	MEC62055BL	● Black
35.65	MEC62055RG	● Rose Gold
		Switched
32.26	MEC62056WH	○ White
38.71	MEC62056SL	● Dark Silver
38.71	MEC62056CH	● Champagne
38.71	MEC62056BL	● Black
38.71	MEC62056RG	● Rose Gold
		Switched with red LED power indicator
40.15	MEC62057WH	○ White
48.18	MEC62057SL	● Dark Silver
48.18	MEC62057CH	● Champagne
48.18	MEC62057BL	● Black
48.18	MEC62057RG	● Rose Gold

Price SR	Cat.Nos	RFID key card switches
		For energizing a circuit for example meeting room, office, hotel room, etc. Works only with ISO type contactless key card or other ISO type 13.56 MHz key card Time-delay of approx. 30 sec. after card removal Lighting of the slot by LED
		12 V
165.63	MEC27075WH	○ White
198.76	MEC27075SL	● Dark Silver
198.76	MEC27075CH	● Champagne
198.76	MEC27075BL	● Black
198.76	MEC27075RG	● Rose Gold
		230 V
134.58	MEC27016WH	○ White
161.50	MEC27016SL	● Dark Silver
161.50	MEC27016CH	● Champagne
161.50	MEC27016BL	● Black
161.50	MEC27016RG	● Rose Gold
		Key card
10	0 767 11	For RFID key card switches MIFARE contactless badge card ISO format (50 x 80 mm) Chip: 13.56 MHz Standard 1 KB memory
Pack	Cat.Nos	Shaver sockets (continued)
		2-gang
127.08	MEC36074WH	○ White
152.50	MEC36074SL	● Dark Silver
152.50	MEC36074CH	● Champagne
152.50	MEC36074BL	● Black
152.50	MEC36074RG	● Rose Gold
		Hotel bedroom control units
		Enable the resident to inform hotel staff of the room status. Supplied with LED lamp
		1-gang - Do not disturb / Make up room and bell push-button - 230 V LED
		Installed in the corridor, displays calls Indicator lamp and bell push Supplied with LED
93.25	MEC27072WH	○ White
111.90	MEC27072SL	● Dark Silver
111.90	MEC27072CH	● Champagne
111.90	MEC27072BL	● Black
111.90	MEC27072RG	● Rose Gold
		2-gang - Do not disturb / Make up room - 230 V LED
		Installed in the guest room Allows the user to select the desired setting
22.44	MEC27007WH	○ White
26.93	MEC27007SL	● Dark Silver
26.93	MEC27007CH	● Champagne
26.93	MEC27007BL	● Black
26.93	MEC27007RG	● Rose Gold



MEC17060WH



MEC17061CH



MEC15062BL



6 176 36 + MEC33093WH

Dimensions: 86 x 86 mm (1-gang) / 146 x 86 mm (2-gang)
 Supplied with 2 screws M 3.5 for BS boxes
 Supplied as complete product with protective film

Price SR	Cat.Nos	Keystone adaptors
13.10 15.72 15.72 15.72 15.72	MEC17064WH MEC17064SL MEC17064CH MEC17064BL MEC17064RG	Single ○ White ● Dark Silver ● Champagne ● Black ● Rose Gold
32.26 38.71 38.71 38.71 38.71	MEC17065WH MEC17065SL MEC17065CH MEC17065BL MEC17065RG	Double ○ White ● Dark Silver ● Champagne ● Black ● Rose Gold
		Arteor adaptors Allow the integration of 2-module Arteor mechanisms such as reading lights, USB chargers, South African standard sockets, etc.
13.74 16.49 16.49 16.49 16.49	MEC17060WH MEC17060SL MEC17060CH MEC17060BL MEC17060RG	1-gang - 2 modules ○ White ● Dark Silver ● Champagne ● Black ● Rose Gold
24.74 29.69 29.69 29.69 29.69	MEC17061WH MEC17061SL MEC17061CH MEC17061BL MEC17061BL	2-gang - 2 modules ○ White ● Dark Silver ● Champagne ● Black ● Rose Gold

Price SR	Cat.Nos	Blanking plates
7.12 8.54 8.54 8.54 8.54	MEC15062WH MEC15062SL MEC15062CH MEC15062BL MEC15062RG	1-gang ○ White ● Dark Silver ● Champagne ● Black ● Rose Gold
26.45	6 176 36	Fixing accessories Splash-proof cover Mainly for socket protection IP 55 with or without plug engaged Space inside : 86 x 86 mm External dimensions : 129,2 x 107,2 x 54,1 mm ● Mist grey

Notes



HOMES



OFFICES



HOTELS

FOLLOW US ON



legrand.sa



youtube.com/@legrandsaudi Arabia



twitter.com/legrandsaudi Arabia



linkedin.com/legrandsaudi Arabia

Riyadh

Localizer Mall , Office No. F6, 1st
Floor.P.O.Box:325099
Prince Muhammad Ibn Abd Al Aziz, Al Olaya,
Riyadh 12222

Al-Khobar

Al-Khobar Mall
2nd Floor, office 362
P.O.Box 927, Al Khobar 31953, KSA
Tel: +966 13 887 89 50
Fax: +966 13 887 89 52



Jeddah (Head Office)

Al-Reem Business Center, 2nd Floor
Al-Rawdah District
P.O.Box:51712
Jeddah, 21553, KSA
Tel: +966 12 261 96 96
Fax: +966 12 261 97 9